AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

- 1. (Original) Polybutylene terephthalate having an intrinsic viscosity of 0.7 to 1.0 dL/g and an end carboxyl group concentration of 0.1 to 18 μ eg/g, which is produced in a presence of a catalyst comprising a titanium compound and a metal compound containing a metal of Group 2A of the Periodic Table.
- 2. (Original) Polybutylene terephthalate according to claim 1, wherein said polybutylene terephthalate has a crystallization temperature of 170 to 195°C as measured at a temperature drop rate of 20°C/min using a differential scanning colorimeter.
- 3. (Currently Amended) Polybutylene terephthalate according to claim 1–or-2, wherein said polybutylene terephthalate has an end vinyl group concentration of not more than 10 μ eq/g.
- 4. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 3 claim 1, wherein a solution haze of a solution prepared by dissolving 2.7 g of said polybutylene terephthalate in 20 mL of a mixed solvent containing phenol and tetrachloroethane at a weight ratio of 3:2, is not more than 10%.

- 5. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 4 claim 1, wherein said polybutylene terephthalate contains a cyclic dimmer in an amount of not more than 1500 ppm.
- 6. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 5 claim 1, wherein said polybutylene terephthalate contains a cyclic trimer in an amount of not more than 1000 ppm.
- 7. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 6 claim 1, wherein said polybutylene terephthalate has an end methoxycarbonyl group concentration of not more than 0.5 μ eq/g.
- 8. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 7 claim 1, wherein said polybutylene terephthalate contains titanium in an amount of not more than 80 ppm, calculated as a titanium atom.
- 9. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 8 claim 1, wherein said polybutylene terephthalate contains a metal of Group 2A of the Periodic Table in an amount of not more than 50 ppm, calculated as a metal atom of Group 2A of the Periodic Table.

HAMANO et al U.S. National Phase of PCT/JP2005/005905

- 10. (Currently Amended) Polybutylene terephthalate according to any of claims

 1 to 9 claim 1, wherein said metal of Group 2A of the Periodic Table is magnesium.
- 11. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 10 claim 1, wherein said end carboxyl group concentration is in the range of 1 to 10 μ eq/g.
- 12. (Currently Amended) Polybutylene terephthalate according to any of claims

 1 to 11 claim 1, wherein said intrinsic viscosity is in the range of 0.8 to 0.9 dL/g.
- 13. (Currently Amended) Polybutylene terephthalate according to any of claims 1 to 12 claim 1, wherein an increase in said end carboxyl end group concentration except for that due to a hydrolysis reaction of the polybutylene terephthalate is in the range of 0.1 to 30 μ eq/g when the polybutylene terephthalate, is heat-treated in an inert gas atmosphere at 245°C for 40 min.
- 14. (Currently Amended) Polybutylene terephthalate as defined in any of claims 1 to 13 claim 1, which is obtained by a production process including a continuous esterification process adopting a direct polymerization method.